



Colore struttura Structure color

Faro 50




Articolo Item	Colore struttura Structure color			W _{max}		LUMEN		LUMEN/W	
	AT	GR	RU						
● Led faro 50 led-W	57877	57876	57878	6,2	led	850	IP65	⊕ 137	B
● Led faro 50 led-N	57887	57886	57888	6,2	led	850	IP65	⊕ 137	B
EL faro 50 EL	68347	68346	68348	1x26	G24q-3	1800	IP65	⊕ 69	A

Faro 70



● Led faro 70 led-W	57897	57896	57898	6,2	led	850	IP65	⊕ 137	B
● Led faro 70 led-N	57907	57906	57908	6,2	led	850	IP65	⊕ 137	B
EL faro 70 EL	68377	68376	68378	1x26	G24q-3	1800	IP65	⊕ 69	A

Faro 85



● Led faro 85 led-W	57917	57916	57918	11,5	led	1560	IP65	⊕ 136	B
● Led faro 85 led-N	57927	57926	57928	11,5	led	1560	IP65	⊕ 136	B
EL faro 85 EL	68087	68086	68088	1x24	2G11	1800	IP65	⊕ 75	A







Colore struttura Structure color

● Nuova versione New version

AT RAL 7016 Antracite gofrato Embossed anthracite	GR RAL 9006 Grigio gofrato Embossed grey	● RU Ruggine Rust
---	--	-----------------------------

Led Equipaggiata con led 3000K - Equipped with led 3000K

Led Equipaggiata con led 4000K - Equipped with led 4000K





Orientamento del fascio luminoso

Orientation of light beam
Orientation du faisceau lumineux
Orientacion del haz luminoso
Ausrichtung des Lichtbündels

